

L Number	Hits	Search Text	DB	Time stamp
-	1	"09/442209"	USPAT; US-PGPUB	2004/10/20 11:21
-	8	("4982402" "5615385" "5768555" "5790826" "5878244" "5881259" "5903741" "6334183").PN.	USPAT	2004/10/19 13:53
-	1245	mrom and x86 and fastpath or (fast near1 path) or fast-path	USPAT; US-PGPUB	2004/10/20 11:29
-	245	mrom and x86 and (fastpath or (fast near1 path) or fast-path)	USPAT; US-PGPUB	2004/10/20 11:30
-	92	(mrom and x86 and (fastpath or (fast near1 path) or fast-path)) and (read near1 instruction\$1)	USPAT; US-PGPUB	2004/10/20 15:23
-	81	(mrom and x86 and (fastpath or (fast near1 path) or fast-path)) and ((read adj1 instruction\$1) or ((destination near2 register) near2 read))	USPAT; US-PGPUB	2004/10/20 15:49
-	1	(mrom and x86 and (fastpath or (fast near1 path) or fast-path)) and (((destination near2 register) near2 read) near4 instruction)	USPAT; US-PGPUB	2004/10/20 15:25
-	88	((destination or result or target) adj2 read adj2 instruction\$1)	USPAT; US-PGPUB	2004/10/20 16:24
-	9	((destination or result or target) adj1 register) adj2 read adj2 instruction\$1)	USPAT; US-PGPUB	2004/10/22 15:07
-	1	"6493819"	USPAT; US-PGPUB	2004/10/25 10:27
-	21	"5752069"	USPAT; US-PGPUB	2004/10/25 10:27
-	1	("5752069").PN.	USPAT; US-PGPUB	2004/10/25 10:43
-	446	(712/215).CCLS.	USPAT; US-PGPUB	2004/10/25 11:17
-	236	((712/215).CCLS.) and dispatch\$4	USPAT; US-PGPUB	2004/10/25 11:18
-	64	((712/215).CCLS.) and (dispatch\$4 near4 reservation)	USPAT; US-PGPUB	2004/10/25 11:54
-	0	(two or multi\$2 or simultaneous) near3 dispatch\$4 near3 ("same" or one) near3 (reservation)	USPAT; US-PGPUB	2004/10/25 11:25
-	1	((simultaneous or multi\$2) near2 (dispatch\$4)) with (microcode\$1 or microinstruction\$1 or ((micro or micro-) near1 (code\$1 or instruction\$1)))	USPAT; US-PGPUB	2004/10/25 11:58
-	4	((simultaneous\$2 or multi\$2) near2 (dispatch\$4)) with (microcode\$1 or microinstruction\$1 or micro-code\$1 or micro-instruction\$1)	USPAT; US-PGPUB	2004/10/25 12:05
-	74	dispatch\$4 near1 together	USPAT; US-PGPUB	2004/10/25 12:11
-	1	("5805916").PN.	USPAT; US-PGPUB	2004/10/25 13:13
-	1320	"intel pentium pro"and scoreboard	USPAT; US-PGPUB	2004/10/25 13:14
-	9	("intel pentium pro"and scoreboard) and ((benefit\$1 or advantage\$1) near2 scoreboard)	USPAT; US-PGPUB	2004/10/25 14:44
-	406	ibm near2 s/390	USPAT; US-PGPUB	2004/10/25 14:45
-	12996	32-bit and register and result	USPAT; US-PGPUB	2004/10/25 14:45
-	19	(ibm near2 s/390) and (32-bit and register and result)	USPAT; US-PGPUB	2004/10/25 14:47
-	1	((32-bit and 64-bit) near2 (result or register)) and s/390	USPAT; US-PGPUB	2004/10/25 14:48
-	319	"ibm s/390"	USPAT; US-PGPUB	2004/10/25 14:48
-	22	"ibm s/390" and ("32" and "64" and "128")	USPAT; US-PGPUB	2004/10/25 15:39

-	2525	((("32" and "64") or ("128" and "32") or ("64" and "128")) near3 (instruction\$1 or result\$1)	USPAT; US-PGPUB	2004/10/25 15:40
-	2515	((("32" and "64") or ("128" and "32") or ("64" and "128")) same (instruction\$1 and result\$1)	USPAT; US-PGPUB	2004/10/25 16:15
-	922	712/227	USPAT; US-PGPUB	2004/10/25 16:15
-	326	emulat\$3 and 712/227	USPAT; US-PGPUB	2004/10/25 16:16
-	166	(emulat\$3 and 712/227) and ("32" and "64")	USPAT; US-PGPUB	2004/10/25 16:16
-	83	((emulat\$3 and 712/227) and ("32" and "64")) and "128"	USPAT; US-PGPUB	2004/10/25 16:22
-	4	712/227 and IA64	USPAT; US-PGPUB	2004/10/25 16:24
-	19	712/227 and s/390	USPAT; US-PGPUB	2004/10/25 17:08
-	97486	pentium pro	USPAT; US-PGPUB	2004/10/25 17:09
-	653	s/390	USPAT; US-PGPUB	2004/10/25 17:09
-	26	s/390 and reservation	USPAT; US-PGPUB	2004/10/25 17:13
-	2	s/390 and reservation and dispatch	USPAT; US-PGPUB	2004/10/25 17:13
-	5	s/390 and reservation and dispatch\$3	USPAT; US-PGPUB	2004/10/25 17:26
-	15	dispatch adj1 two adj1 instructions	USPAT; US-PGPUB	2004/10/25 17:28
-	147	dispatch\$3 near3 instruction\$1 near4 (group or like or similar)	USPAT; US-PGPUB	2004/10/25 17:31
-	2	dispatch\$3 near3 instruction\$1 near4 (group or like or similar) same serializ\$5	USPAT; US-PGPUB	2004/10/26 08:55
-	46	128-bit near2 processor	USPAT; US-PGPUB	2004/10/26 09:07
-	186	increment\$3 near1 tag	USPAT; US-PGPUB	2004/10/26 09:07
-	78	(increment\$3 near1 tag) same register\$1	USPAT; US-PGPUB	2004/10/26 10:59
-	41	group with dispatch\$4 same (serial or serializ\$3)	USPAT; US-PGPUB	2004/10/26 11:25
-	1	("6324640").PN.	USPAT; US-PGPUB	2004/10/26 11:16
-	167	(group near2 dispatch\$4) same (serial or serializ\$3 or type\$1 or relate\$1 or "same")	USPAT; US-PGPUB	2004/10/26 11:26
-	26	(group near2 dispatch\$4) same ((type\$1 or relate\$1 or "same" or similar or like) with instruction\$1)	USPAT; US-PGPUB	2004/10/26 11:47
-	990	(multiple or two or both or "they are") with (dispatch\$3 or dispatchable) with instruction\$1	USPAT; US-PGPUB	2004/10/26 11:49
-	312	(multiple or two or both or "they are") with (dispatch\$3 or dispatchable) with instruction\$1 same ((type\$1 or relate\$1 or "same" or similar or like) with instruction\$1)	USPAT; US-PGPUB	2004/10/26 11:49
-	10583	("712").CLAS.	USPAT; US-PGPUB	2004/10/26 11:50
-	240	((multiple or two or both or "they are") with (dispatch\$3 or dispatchable) with instruction\$1 same ((type\$1 or relate\$1 or "same" or similar or like) with instruction\$1)) and (("712").CLAS.)	USPAT; US-PGPUB	2004/10/26 11:51
-	139	((multiple or two or both or "they are") with (dispatch\$3 or dispatchable) with instruction\$1 same ((type\$1 or relate\$1 or "same" or similar or like) with instruction\$1)) and (("712").CLAS.)) and (serial\$3 or serializ\$3)	USPAT; US-PGPUB	2004/10/26 13:06

-	1	("6493819").PN.	USPAT; US-PGPUB	2004/10/26 16:03
-	154	(load near2 instruction) with (hazard or stall)	USPAT; US-PGPUB	2004/10/26 16:05

L Number	Hits	Search Text	DB	Time stamp
-	1	"09/442209"	USPAT; US-PGPUB	2004/10/20 11:21
-	8	("4982402" "5615385" "5768555" "5790826" "5878244" "5881259" "5903741" "6334183").PN.	USPAT	2004/10/19 13:53
-	1245	mrom and x86 and fastpath or (fast near1 path) or fast-path	USPAT; US-PGPUB	2004/10/20 11:29
-	245	mrom and x86 and (fastpath or (fast near1 path) or fast-path)	USPAT; US-PGPUB	2004/10/20 11:30
-	92	(mrom and x86 and (fastpath or (fast near1 path) or fast-path)) and (read near1 instruction\$1)	USPAT; US-PGPUB	2004/10/20 15:23
-	81	(mrom and x86 and (fastpath or (fast near1 path) or fast-path)) and ((read adj1 instruction\$1) or ((destination near2 register) near2 read))	USPAT; US-PGPUB	2004/10/20 15:49
-	1	(mrom and x86 and (fastpath or (fast near1 path) or fast-path)) and (((destination near2 register) near2 read) near4 instruction)	USPAT; US-PGPUB	2004/10/20 15:25
-	88	((destination or result or target) adj2 read adj2 instruction\$1)	USPAT; US-PGPUB	2004/10/20 16:24
-	9	((destination or result or target) adj1 register) adj2 read adj2 instruction\$1)	USPAT; US-PGPUB	2004/10/22 15:07
-	1	"6493819"	USPAT; US-PGPUB	2004/10/25 10:27
-	21	"5752069"	USPAT; US-PGPUB	2004/10/25 10:27
-	1	("5752069").PN.	USPAT; US-PGPUB	2004/10/25 10:43
-	446	(712/215).CCLS.	USPAT; US-PGPUB	2004/10/25 11:17
-	236	((712/215).CCLS.) and dispatch\$4	USPAT; US-PGPUB	2004/10/25 11:18
-	64	((712/215).CCLS.) and (dispatch\$4 near4 reservation)	USPAT; US-PGPUB	2004/10/25 11:54
-	0	(two or multi\$2 or simultaneous) near3 dispatch\$4 near3 ("same" or one) near3 (reservation)	USPAT; US-PGPUB	2004/10/25 11:25
-	1	((simultaneous or multi\$2) near2 (dispatch\$4)) with (microcode\$1 or microinstruction\$1 or ((micro or micro- near1 (code\$1 or instruction\$1)))	USPAT; US-PGPUB	2004/10/25 11:58
-	4	((simultaneous\$2 or multi\$2) near2 (dispatch\$4)) with (microcode\$1 or microinstruction\$1 or micro-code\$1 or micro-instruction\$1)	USPAT; US-PGPUB	2004/10/25 12:05
-	74	dispatch\$4 near1 together	USPAT; US-PGPUB	2004/10/25 12:11
-	1	("5805916").PN.	USPAT; US-PGPUB	2004/10/25 13:13
-	1320	"intel pentium pro"and scoreboard	USPAT; US-PGPUB	2004/10/25 13:14
-	9	("intel pentium pro"and scoreboard) and ((benefit\$1 or advantage\$1) near2 scoreboard)	USPAT; US-PGPUB	2004/10/25 14:44
-	406	ibm near2 s/390	USPAT; US-PGPUB	2004/10/25 14:45
-	12996	32-bit and register and result	USPAT; US-PGPUB	2004/10/25 14:45
-	19	(ibm near2 s/390) and (32-bit and register and result)	USPAT; US-PGPUB	2004/10/25 14:47
-	1	((32-bit and 64-bit) near2 (result or register)) and s/390	USPAT; US-PGPUB	2004/10/25 14:48
-	319	"ibm s/390"	USPAT; US-PGPUB	2004/10/25 14:48
-	22	"ibm s/390" and ("32" and "64" and "128")	USPAT; US-PGPUB	2004/10/25 15:39

-	2525	((("32" and "64") or ("128" and "32") or ("64" and "128"))) near3 (instruction\$1 or result\$1)	USPAT; US-PGPUB	2004/10/25 15:40
-	2515	((("32" and "64") or ("128" and "32") or ("64" and "128"))) same (instruction\$1 and result\$1)	USPAT; US-PGPUB	2004/10/25 16:15
-	922	712/227	USPAT; US-PGPUB	2004/10/25 16:15
-	326	emulat\$3 and 712/227	USPAT; US-PGPUB	2004/10/25 16:16
-	166	(emulat\$3 and 712/227) and ("32" and "64")	USPAT; US-PGPUB	2004/10/25 16:16
-	83	((emulat\$3 and 712/227) and ("32" and "64")) and "128"	USPAT; US-PGPUB	2004/10/25 16:22
-	4	712/227 and IA64	USPAT; US-PGPUB	2004/10/25 16:24
-	19	712/227 and s/390	USPAT; US-PGPUB	2004/10/25 17:08
-	97486	pentium pro	USPAT; US-PGPUB	2004/10/25 17:09
-	653	s/390	USPAT; US-PGPUB	2004/10/25 17:09
-	26	s/390 and reservation	USPAT; US-PGPUB	2004/10/25 17:13
-	2	s/390 and reservation and dispatch	USPAT; US-PGPUB	2004/10/25 17:13
-	5	s/390 and reservation and dispatch\$3	USPAT; US-PGPUB	2004/10/25 17:26
-	15	dispatch adj1 two adj1 instructions	USPAT; US-PGPUB	2004/10/25 17:28
-	147	dispatch\$3 near3 instruction\$1 near4 (group or like or similar)	USPAT; US-PGPUB	2004/10/25 17:31
-	2	dispatch\$3 near3 instruction\$1 near4 (group or like or similar) same serializ\$5	USPAT; US-PGPUB	2004/10/26 08:55
-	46	128-bit near2 processor	USPAT; US-PGPUB	2004/10/26 09:07
-	186	increment\$3 near1 tag	USPAT; US-PGPUB	2004/10/26 09:07
-	78	(increment\$3 near1 tag) same register\$1	USPAT; US-PGPUB	2004/10/26 10:59
-	41	group with dispatch\$4 same (serial or serializ\$3)	USPAT; US-PGPUB	2004/10/26 11:25
-	1	("6324640").PN.	USPAT; US-PGPUB	2004/10/26 11:16
-	167	(group near2 dispatch\$4) same (serial or serializ\$3 or type\$1 or relate\$1 or "same")	USPAT; US-PGPUB	2004/10/26 11:26
-	26	(group near2 dispatch\$4) same ((type\$1 or relate\$1 or "same" or similar or like) with instruction\$1)	USPAT; US-PGPUB	2004/10/26 11:47
-	990	(multiple or two or both or "they are") with (dispatch\$3 or dispatchable) with instruction\$1	USPAT; US-PGPUB	2004/10/26 11:49
-	312	(multiple or two or both or "they are") with (dispatch\$3 or dispatchable) with instruction\$1 same ((type\$1 or relate\$1 or "same" or similar or like) with instruction\$1)	USPAT; US-PGPUB	2004/10/26 11:49
-	10583	("712").CLAS.	USPAT; US-PGPUB	2004/10/26 11:50
-	240	((multiple or two or both or "they are") with (dispatch\$3 or dispatchable) with instruction\$1 same ((type\$1 or relate\$1 or "same" or similar or like) with instruction\$1)) and (("712").CLAS.)	USPAT; US-PGPUB	2004/10/26 11:51
-	139	((multiple or two or both or "they are") with (dispatch\$3 or dispatchable) with instruction\$1 same ((type\$1 or relate\$1 or "same" or similar or like) with instruction\$1)) and (("712").CLAS.)) and (serial\$3 or serializ\$3)	USPAT; US-PGPUB	2004/10/26 13:06

-	1	("6493819").PN.	USPAT; US-PGPUB	2004/10/26 16:03
-	154	(load near2 instruction) with (hazard or stall)	USPAT; US-PGPUB	2004/10/26 16:05